

PETUNIA PLANT NAMED 'SUNBELPAPI'

## BOTANICAL/COMMERCIAL CLASSIFICATION

*Petunia hybrida*/Petunia Plant

5 VARIETAL DENOMINATION  
cv. Sunbelpapi

## BACKGROUND OF THE VARIETY

10 The present invention relates to a new and distinct variety of Petunia plant originated from crossing a Petunia hybrid variety called '9PP11', as the female parent, and '9CPP8', as the male parent.

15 The Petunia is a popular plant that is used for flower bedding and potting in the summer season. There are only a few Petunia bred, such as 'Sunberubu' (U.S. Plant Pat. No. 9754), 'Sunbelchipi' (U.S. Plant Pat. No. 10,355) and 'Sunbelki' (U.S. Plant Pat. No. 11,558).  
20 These are of the spreading type, a medium plant height, abundant branches, and a high resistance to heat and rain and disease. However there are only a few varieties having a great profusion of flowers, having a strong purplish pink color, and a high resistance to rain, heat,  
25 and disease. Accordingly, this invention was aimed at obtaining a new Petunia variety having strong purplish pink and very small flowers, combined with the above features.

## 30 Progress

The female parent '9PP11' (unpatented) used in the crossing of 'Sunbelpapi' is a strain of our breeding lines grown at Yokaichi-shi, Shiga-ken, Japan, having an  
35 outwardly spreading growth habit with abundant branching. It has small single flowers, the petals having a vivid reddish purple color.

The male parent '9CPP8' (unpatented) used in the crossing of 'Sunbelpapi' is a strain of our breeding lines grown at Yokaichi-shi, Shiga-ken, Japan, having a  
5 decumbent growth habit with abundant branching. It has small single flowers, the petals having a vivid reddish purple color.

10 In April 1998, crossing of '9PP11' as the female parent and '9CPP8' as the male parent was conducted at Yokaichi-shi, Shiga-ken, Japan. In September 1998, 50 seedlings were obtained from that crossing. One seedling was selected in view of its growth habit, flower size and color in October 1999. That seedling was propagated by  
15 cutting, and the cuttings were grown in field and evaluated from April to September 2000. A trial was carried out by flower potting in the greenhouse and field from April to October 2001 at Yokaichi-shi, Shiga-ken, Japan. The botanical characteristics of that plant were  
20 then examined, using similar varieties 'Sunbelchipi' and 'Sunbelkupapi' for comparison. As a result, it was concluded that this Petunia plant is distinguishable from any other variety whose existence is known to us, and is uniform and stable in its characteristics. Then the new  
25 variety of Petunia plant was named 'Sunbelpapi'.

In the following description, the color-coding is in accordance with the Horticultural Colour Chart of The Royal Horticultural Society, London, England (R.H.S.  
30 Colour Chart).

#### SUMMARY OF THE VARIETY

This new variety is unlike any Petunia commercially  
35 available as evidenced by the following unique combinations of characteristics.

1. Compact and outwardly spreading growth habit

with abundant branching.

2. Having a great profusion of blooms with the entire plant remaining in bloom for a considerable period of time.

5        3. The flowers are single and small. The petal color is strong purplish pink (R.H.S. 75A).

4. The plant has a high resistance to rain, cold, heat and disease.

10        The new variety 'Sunbelpapi' differs from the similar variety 'Sunbelchipi' in the following points.

1. The plant of 'Sunbelpapi' is more compact than that of 'Sunbelchipi'.

15        2. The leaf of 'Sunbelpapi' is smaller than that of 'Sunbelchipi'.

3. The leaf shape of 'Sunbelpapi' is elliptic. That of 'Sunbelchipi' is lanceolate.

20        4. The petal color of 'Sunbelpapi' is strong purplish pink (R.H.S. 75A). That of 'Sunbelchipi' is vivid purplish red (R.H.S. N57A).

5. The outside color of the corolla throat of 'Sunbelpapi' is light greenish yellow (R.H.S. 7D) with purplish pink (R.H.S. N74C) vein. That of 'Sunbelchipi' is brilliant greenish yellow (R.H.S. 5C).

25        6. The apex shape of petal of 'Sunbelpapi' is rounded. That of 'Sunbelchipi' is obtuse.

7. The peduncle length of 'Sunbelpapi' is longer than that of 'Sunbelchipi'.

30        The new variety 'Sunbelpapi' differs from the similar variety 'Sunbelkupapi' in the following points.

1. The growth habit of 'Sunbelpapi' is outwardly spreading. That of 'Sunbelkupapi' is decumbent.

35        2. The plant height of 'Sunbelpapi' is higher than that of 'Sunbelkupapi'.

3. The leaf of 'Sunbelpapi' is smaller than that of 'Sunbelkupapi'.

4. The leaf shape of 'Sunbelpapi' is elliptic.  
That of 'Sunbelkupapi' is lanceolate.

5 5. The petal color of 'Sunbelpapi' is strong  
purplish pink (R.H.S. 75A). That of 'Sunbelkupapi' is  
deep purplish pink (R.H.S. 73A) with a yellowish white  
(R.H.S. 115C) eye color.

6. The peduncle length of 'Sunbelpapi' is longer  
than that of 'Sunbelkupapi'.

10 This new variety of Petunia Plant 'Sunbelkupapi' was  
asexually reproduced by the use of cuttings at Omori-cho,  
Yokaichi-shi, Shiga-ken, Japan, and homogeneity and  
stability thereof were confirmed. The instant plant  
retains its distinctive characteristics and reproduces  
15 true to type in successive generations.

#### BRIEF DESCRIPTION OF THE PHOTOGRAPH

20 The depicted plants had been reproduced by the use  
of cuttings and were photographed during September 2001  
while growing outdoors in 24 cm pots, and at an age of  
approximately 8 months, at Yokaichi-shi, Shiga-ken,  
Japan.

25 FIG. 1 illustrates a typical plant of the new  
variety of Petunia plant 'Sunbelpapi'.

FIG. 2 illustrates a close-up view of typical  
foliage and blossoms of the new variety of Petunia plant  
'Sunbelpapi'.

30

#### DESCRIPTION OF THE VARIETY

35 The botanical characteristics of the new and  
distinct variety of Petunia plant named 'Sunbelpapi' are  
as follows, when observed during September at Yokaichi-  
shi, Shiga-ken, Japan at an age of approximately 9  
months.

Plant:

Growth habit. - Outwardly spreading.

Plant height. - Approximately 14.6 cm.

Spreading area of plant. - Approximately 45.6 cm.

- 5      Blooming period. - April to late October in the southern Kanto area, Japan. The plant shape does not change throughout this period.

Stem:

Thickness. - Approximately 1.3 mm.

- 10      Pubescence. - Sparse.

Branching. - Abundant branching, especially secondary branches.

Internode length. - Approximately 0.6 cm.

- 15      Color. - R.H.S. 144B, 200C (strong yellow green, grayish brown).

Leaf:

Whole shape. - Elliptic. The apex shape is acute, and the base shape is attenuate.

Length. - Approximately 1.9 cm.

- 20      Width. - Approximately 0.8 cm.

Color. - Upper side color is R.H.S. 146A (moderate olive green), bottom side color is R.H.S. 146B (moderate yellow green).

Thickness. - Approximately 0.4 mm.

- 25      Pubescence. - Sparse.

Flower:

Facing direction. - Slanted upward.

Type. - Single.

Shape. - Funnel-shape, with five-fissures.

- 30      Shape of petal tip. - Rounded.

Lobation. - Shallow.

Waving of petal. - Weak.

Diameter. - Approximately 3.0 cm.

Color. - Petal; R.H.S. 75A (strong purplish pink).

- 35      Inside color of the corolla throat is R.H.S. 14B (vivid yellow). Outside color of the corolla throat is R.H.S. 7D (light greenish yellow) with R.H.S. N74C (purplish pink)

vein.

Reproductive organs. - 1 normal pistil and 5 normal  
stamens. The stigma is club-shaped and R.H.S. N144D  
(light yellow green) in coloration. The style is  
5 approximately 4.7 mm in length and R.H.S. 145B (brilliant  
yellow green) in coloration. The ovary is R.H.S. N144D  
(light yellow green) in coloration. The stamens commonly  
are of variable length from approximately 4.7 to 7.4 mm.  
Pollen is formed in a quantity that is typical of Petunia  
10 and is near R.H.S. 21A (vivid orange yellow) in  
coloration.

Fertility. - Fertile, but self-incompatible.

Peduncle. - Approximately 0.6 mm in diameter and  
approximately 4.5 cm in length. The texture is smooth.

15 Calyx. - Narrow. 5 sepals fused at the base.

Seeds. - R.H.S. N186A (strong red) in coloration,  
approximately 0.6 mm in diameter, and generally  
spherical. The quantity is typical of Petunia.

Physiological and ecological characteristics:

20 High resistance to cold, heat, rain and disease such as  
Powdery mildew. The resistance to heat and rain is very  
strong.

25 This new variety of Petunia plant is most suitable  
for flower bedding and potting, particularly in hanging  
pots or planters. Pinching of old blossoms will enhance  
the formation of new blossoms.